

L&D Room 1: Patient 1

Broken window with glass everywhere. Water leaking on the floor.

35 yo G3 P2 @ 40 weeks admitted in active labor

- OB hx: rapid active phase, previous mild PPH
- Pmhx: mild chronic HTN (100 mg labetalol bid)
- Epidural in place x 2 hours
- Vitals: Temp 37, BP 120/70, HR 85, RR 20
- Ctx q 2 min spontaneous
- SVE: 8 / 100% / +2
- FHT cat 2 with mild variable ctx

L&D Room 2: Patient 2

One broken light fixture, no smoke or sparks

18 yo G1 P0 @ 37 weeks undergoing induction of labor for severe preeclampsia

- Pmhx: NC
- Vitals: Temp 37, BP 150/100, HR 65, RR 18
- SVE: 3 / 80% / -2
- Ctx q 3-4 min, oxytocin 7 millunits/min
- Magnesium 2 grams an hour
- Labs:
 - 4+ protein (urine protein cr ratio = 0.38)
 - LFTs wnl
 - Cr 0.9
 - Hct 42, Plts 150

L&D Room 3: Patient 3

Windowless room, light fixtures not working

30 yr G1 P0 @ 41+5 weeks admitted for induction of labor for over the due date

- OB hx: A1GDM diet-controlled
- Pmhx: Appy (16 yr)
- Vitals: Temp 36.8, BP 90/60, HR 87, RR 16
- SVE: I/c/h
- Cervidil placed 6 hours ago
- Occasional mild ctx

PACU: Patient 4

No major room damage. Medication machine locked, says “Fatal error #1000”

28 yr G2 P1 s/p repeat CS x 30 min

- Pmhx: NC
- Surgery uncomplicated with EBL 800cc
- Vitals: Temp 36.6, BP 110/70, HR 72, RR 15
- Preop Hct = 34
- Spinal anesthesia (pt unable to move legs)

Postpartum: Patient 5

Television fell and shattered glass on floor. Door to bathroom jammed, no one inside.

33 yr G2 P2 s/p uncomplicated NSVD yesterday

- Pmhx: NC
- Vitals: Temp 37, BP 110/65, HR 72, RR 18
- Baby is rooming in

Postpartum: Patient 6

No major room damage

24 yr G1 P1 s/p CS for failure to progress, POD #3

- OB hx: pt labored x 20 hours, progressed to 6 cm
- Pmhx: NC
- CS uncomplicated with 1000 cc EBL
- Vitals: Temp 37.7, BP 100/60, HR 89, RR 16
- Post op Hct: 30
- Baby is rooming in

Postpartum: Patient 7

No major room damage.

44 yr G1 P1 s/p CS @ 30 weeks for preterm labor/
breech POD #1

- OBHx: IVF pregnancy with donor ovum
- Pmhx: mild HTN
- CS complicated by PPH with EBL 1500 cc
- Postop Hct pending
- Vitals: Temp 36.6, BP 140/80, HR 100, RR 16
- Baby in NICU

Postpartum #8

Door jam bent, unable to close door

36 yo G1P1 s/p forceps delivery for fetal distress
@ 39 weeks . PP day 1/2

- Labor complicated by chorioamnionitis now on amp/gent/
clind
- Obhx: GBS +
- VS T: 38 100/60 100

OB TRAIN for AP & LD

<i>Transport</i>	<i>CAR (Discharge)</i>	<i>BLS</i>	<i>ALS</i>	<i>SPC</i>	<i>SHELTER IN PLACE</i>
<i>Labor Status</i>	None	Early	Active	At risk for En route delivery	If delivery is imminent, 'Shelter in Place' and TRAIN after delivery
<i>Mobility</i>	Ambulatory*	Ambulatory or Non-ambulatory	Non-ambulatory	Non-ambulatory	
<i>Epidural Status</i>	None	Placement > 1 hour**	Placement < 1 hour**	N/A	
<i>Maternal or Fetal Risk</i>	Low	Low/Moderate	Moderate/High	High	

(SPC) Specialized = must be accompanied by MD or Transport RN

* Modified Bromage Score 6 = Patient is able to perform a partial knee bend from standing

** Epidural catheter capped off

OB TRAIN for postpartum

Transport	Car (Discharge)	BLS	ALS	SPC
Delivery	VD > 6 hours or CD > 48 hours	VD < 6 hours or CD < 48 hours	Complicated VD or CD	Medically complicated
Mobility	Ambulatory*	Ambulatory or Non-ambulatory	Ambulatory or Non- ambulatory	Non-ambulatory
Post Op	> 2 hours from non-CD surgery**	> 2 hours from CD < 2 hours from non-CD surgery	< 2 hours from CD	Medically complicated
Maternal Risk	Low	Low/Moderate	Moderate/High	High

(S) Specialized = must be accompanied by MD or Transport RN

* Modified Bromage Score 6 = Patient is able to perform a partial knee bend from standing

** If adult supervision is available for 24 hours